

Material Safety Data Sheet: BP 800

Supersedes Date 10/14/2010

Issuing Date 09/06/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name BP 800
Recommended use Water treatment chemical
Information on Manufacturer
CHEM-AQUA
253 ORENDA ROAD
BRAMPTON ONT L6T 1E6

Product Code 0224
Chemical nature Alkaline solution
Emergency Telephone Number
CHEMTREC® 800-424-9300

2. HAZARDS IDENTIFICATION

Emergency Overview

DANGER
POISON
Corrosive
Causes skin and eye burns
May cause delayed lung injury and burns
Harmful or fatal if swallowed

Color Colorless

Physical State Liquid

Odor Odorless

Potential Health Effects

Principle Route of Exposure

Primary Routes of Entry

Acute Effects

Eyes

Skin

Inhalation

Ingestion

Skin contact, Eye contact, Inhalation.

None known

Corrosive to the eyes and may cause severe damage including blindness.

Causes skin burns.

Harmful by inhalation. Causes burns.

If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Inhaled corrosive substances can lead to a toxic edema of the lungs.

Respiratory system, Skin, Eyes.

Skin disorders, Respiratory disorders.

See Section 12 for additional Ecological information.

Chronic Toxicity

Target Organ Effects

Aggravated Medical Conditions

Potential Environmental Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS-No
Sodium hydroxide	1310-73-2

4. FIRST AID MEASURES

General advice

Eye Contact

Skin Contact

Inhalation

Ingestion

Notes to physician

Do not get in eyes, on skin or on clothing. Do not breathe mist.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention immediately.

Remove immediately all contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately.

Move to fresh air. In case of shortness of breath, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.

Drink 1 or 2 glasses of water. Do NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.

The product causes burns of eyes, skin and mucous membranes. Control of circulatory system, shock therapy if needed.

5. FIRE-FIGHTING MEASURES

Flash Point Does not flash

Method

Not applicable

Autoignition Temperature No information available.

Flammability Limits in Air % Hydrogen, by reaction with metals.

Upper 75

Lower 4

Suitable Extinguishing Media

Water spray. Foam. Carbon dioxide (CO₂). Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

Material can create slippery conditions. Contact with metals liberates flammable hydrogen gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA	Health 3	Flammability 0	Instability 0
HMIS	Health 3	Flammability 0	Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Prevent further leakage or spillage if safe to do so. Material can create slippery conditions.
Environmental Precautions	Do not flush into surface water or sanitary sewer system.
Methods for Containment	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13)
Methods for Cleaning Up	Pick up and transfer to properly labeled containers.
Neutralizing Agent	Acetic acid, diluted.

7. HANDLING AND STORAGE

Handling	Do not get in eyes, on skin or on clothing. Do not breathe mist.			
Storage	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Metal containers must be lined. Freezing will affect the physical condition but will not damage the material. Thaw and mix before using.			
Storage Temperature	Minimum	35 °F / 2 °C	Maximum	120 °F / 49 °C
Storage Conditions	Indoor	X	Outdoor	Heated Refrigerated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH
Sodium hydroxide	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.
Personal Protective Equipment	
Eye/Face Protection	Tightly fitting safety goggles. Face-shield.
Skin Protection	Wear suitable protective clothing, Impervious gloves.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
General Hygiene Considerations	Wear protective gloves/clothing. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid	Viscosity	Non viscous
Color	Colorless	Odor	Odorless
Appearance	Transparent	pH	14
Specific Gravity	1.53	Evaporation Rate	0.31 (Butyl acetate=1)
Percent Volatile (Volume)	49	VOC Content (%)	0
VOC Content (g/L)	0	Vapor Pressure	7.9 mmHg @ 70°F
Vapor Density	0.6 (Air = 1.0)	Solubility	Completely soluble
Boiling Point/Range	291 °F / 144 °C		

10. STABILITY AND REACTIVITY

Chemical Stability	Stable. Hazardous polymerization does not occur.
Conditions to Avoid	Keep away from open flames, hot surfaces, and sources of ignition, Extremes of temperature and direct sunlight.
Incompatible Products	Acids, Strong oxidizing agents, Aldehydes, Contact with metals liberates hydrogen gas.
Hazardous Decomposition Products	Sodium oxides, Chlorine, Hydrogen, by reaction with metals.
Possibility of Hazardous Reactions	None under normal processing

11. TOXICOLOGICAL INFORMATION

Product Information	No information available.
----------------------------	---------------------------

Component Information**Acute Toxicity**

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	Draize Test	Other
Sodium hydroxide	no data available	= 1350 mg/kg (Rabbit)	no data available	no data available	no data available

Chronic Toxicity

Component	Mutagenicity	Sensitization	Developmental Toxicity	Reproductive Toxicity	Target Organ Effects
Sodium hydroxide	no data available	no data available	no data available	no data available	eyes, respiratory system, skin

Carcinogenicity

There are no known carcinogenic chemicals in this product.

Component	ACGIH	IARC	NTP	OSHA	Other
Sodium hydroxide	not applicable	not applicable	not applicable	not applicable	not applicable

12. ECOLOGICAL INFORMATION**Product Information**

No information available.

Component Information

Component	Toxicity to Algae	Toxicity to Fish	Microtox	Water Flea	log Pow
Sodium hydroxide	no data available	LC50 = 45.4 mg/L Oncorhynchus mykiss 96 h	no data available	no data available	N/A

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

13. DISPOSAL CONSIDERATIONS**Product Disposal**

Dispose of in accordance with local regulations.

Container Disposal

Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION**DOT**

Proper Shipping Name Sodium hydroxide solution
Hazard Class 8
UN-No UN1824
Packing Group II
Description UN1824, Sodium hydroxide solution, 8, PG II

TDG

Proper shipping name Sodium hydroxide solution
Hazard Class 8
UN-No UN1824
Packing Group II
Description Sodium Hydroxide Solution,8,UN1824,PG II

ICAO

UN-No UN1824
Proper Shipping Name Sodium hydroxide solution
Hazard Class 8
Packing Group II
Shipping Description Sodium hydroxide solution,8,UN1824,PG II

IATA

UN-No UN1824
Proper Shipping Name Sodium hydroxide solution
Hazard Class 8
Packing Group II
ERG Code 8L
Shipping Description UN1824,Sodium hydroxide solution,8,PG II

IMDG/IMO

Proper Shipping Name Sodium hydroxide solution
Hazard Class 8
UN-No UN1824

Packing Group II
 EmS No. F-A, S-B
 Shipping Description UN1824, Sodium hydroxide solution,8,PG II

15. REGULATORY INFORMATION

Inventories

TSCA Complies
 DSL Complies

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Acute Health Hazard	Chronic Health Hazard	Fire Hazard	Sudden Release of Pressure Hazard	Reactive Hazard
Yes	No	No	No	No

CERCLA

Component	Hazardous Substances RQs	CERCLA EHS RQs
Sodium hydroxide	1000 lb	Not applicable

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

E Corrosive material



16. OTHER INFORMATION

Prepared By Rachael Mohochi
 Supersedes Date 10/14/2010
 Issuing Date 09/06/2013
 Reason for Revision No information available.
 Glossary No information available.
 List of References. No information available.

CHEM-AQUA assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage or disposal of the product. The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.